



**{In Archive} Re: Fw: El Paso Desal Facility** 📎

**Ray Leissner** to: Larry Wright  
Cc: Philip Dellinger, Jose Torres

08/06/2007 04:59 PM

From: Ray Leissner/R6/USEPA/US  
To: Larry Wright/R6/USEPA/US@EPA  
Cc: Philip Dellinger/R6/USEPA/US@EPA, Jose Torres/R6/USEPA/US@EPA  
Archive: This message is being viewed in an archive.

I read the brief sheet you provided below and have not been contacted nor have I responded. I agree with what it says. [REDACTED]

[REDACTED] 've read the permit and there does not appear to be any assurances that the effluent will be equal or better than the receiving formation fluid.

Ray Leissner, Env. Eng.  
Ground Water / UIC Section (6WQ-SG)  
(214) 665 - 7183  
USEPA, Region 6  
Larry Wright/R6/USEPA/US

**Larry Wright/R6/USEPA/US**

08/06/2007 04:08 PM

To Philip Dellinger/R6/USEPA/US@EPA, Ray  
Leissner/R6/USEPA/US@EPA

cc

Subject Fw: El Paso Desal Facility

Did we respond to this? I left an email notification that I was out of the office through 8/3 and to contact Phil with any UIC questions. Phil, were you contacted?

----- Forwarded by Larry Wright/R6/USEPA/US on 08/06/2007 04:04 PM -----

**Roy Simon/DC/USEPA/US**

07/26/2007 04:16 PM

To Larry Wright/R6/USEPA/US@EPA

cc

Subject Fw: El Paso Desal Facility

Larry, are you aware? Any ideas or edits ? What are you telling your RA ?

----- Forwarded by Roy Simon/DC/USEPA/US on 07/26/2007 05:15 PM -----



**Ann  
Codrington/DC/USEPA/US**

07/26/2007 04:21 PM

To "Roy Simon" <simon.roy@epa.gov>

cc

Subject Fw: El Paso Desal Facility

-----  
Sent by EPA Wireless E-Mail Services  
Veronica Blette  
----- Original Message -----

**From:** Veronica Blette  
**Sent:** 07/26/2007 08:28 AM  
**To:** Ann Codrington  
**Cc:** blette.veronica@epa.gov; kelly.suzanne@epa.gov; Steve Heare  
**Subject:** Re: El Paso Desal Facility

steve is not just visiting it - he is attending the dedication ceremony for the opening of the facility....so it would be very good to know if the region/HQ can resolve this matter quickly!

\*\*\*\*\*

Veronica Blette  
Special Assistant to the Director  
EPA Office of Ground Water and Drinking Water  
phone: 202-564-4094

Ann Codrington/DC/USEPA/US



**Ann**  
**Codrington/DC/USEPA/US**  
07/26/2007 08:20 AM

To blette.veronica@epa.gov  
cc kelly.suzanne@epa.gov, Steve Heare/DC/USEPA/US@EPA  
Subject El Paso Desal Facility

Steve Johnson will soon be visiting a desal facility that Sue visited a few months ago. The facility will be disposing of the residuals via a class V deep well, and there are some issues. We put together a few paragraphs.

We need to run the paper by the Region and I will do this today.

I'm not sure of the format, and we didn't include alot of info on the background of the facility or the area, so this would have to be part of a larger notebook, if it is used at all.

I'll run it by my counterpart in the Region, who will likely change it. Do you have suggestions on format and whether and how to forward?

Thanks,

Ann



El Paso.doc

Ann Codrington  
U.S. Environmental Protection Agency  
Office of Ground Water and Drinking Water  
Room 2118A EPA East Building  
Mailcode 4606M

Phone: 202-564-4688  
Fax: 202-564-5742